



Assessment of Physico-chemical Parameters and Nutrient Availability in Soils of Arvi and Karanja Blocks of Wardha district, Maharashtra

Aliza Pradhan*, Mahesh Maske, Manoj Sayre and Mahesh Sadatpure

M. S. Swaminathan Research Foundation, Chennai, Tamil Nadu – 600113, India

Abstract : The physical and chemical properties of the soil governs the land productivity. The present study focuses on soil properties and nutrient indices of soils in five different villages of Arvi and Karanja blocks of Wardha district, Maharashtra. A research programme on Leveraging Agriculture for Nutrition in South Asia (LANSA) through farming system is in progress in these villages. The soils of the site are slightly acidic to alkaline, medium to high in organic carbon, deficient in nitrogen, phosphorus and zinc, medium in iron content and sufficient in potassium, copper and manganese content.

Keywords: soil parameters, micronutrients, nutrient indices

Introduction

Physico-chemical properties of soils has a strong bearing on plant nutrient availability. The emerging widespread deficiency of macronutrients specifically nitrogen, phosphorus and in some cases potassium but also micronutrients has been reported in Indian soils. Deficiency of micronutrients during the last three decades has grown in both, magnitude and extent because of increased use of high analysis fertilizers, use of high yielding crop varieties and increase in cropping intensity causing decline in crop productivity and sustainability (Yadav and Meena, 2009). Thus there is an urgent need for correction of individual nutrient deficiency and for arresting its further spread. Furthermore, assessment of soil nutrient status plays pivotal role in planning and implementation of a sustainable agricultural production system. Accordingly, the present study was undertaken in five villages of Wardha district of Maharashtra, where a Farming System for Nutrition (FSN) study under a research programme on Leveraging Agriculture for Nutrition in South Asia (LANSA) is in progress. As the farming systems for nutrition envisages introduction of agricultural remedies to the nutritional

maladies prevailing in an area through mainstreaming nutritional criteria in the selection of the components of a farming system (Nagarajan *et al.* 2014), an assessment of soil sample is a must for successful implementation of the study programme. This paper presents an assessment of the physico-chemical properties of soils along with their nutrient indices, to support planning of farming system interventions.

Material and Methods

Study site

The study site (Wardha district) of Maharashtra lies between 20° 28' N and 21° 21' N latitude and 78° 4' E and 79° 15' E longitudes. The district covers 6,039 sq.km accounting to 2.06 percent of the state and is characterized by hot, dry, and sub-humid bio-climate with dry summers and mild winters. The district comprises of eight tehsils or blocks *viz.*, Ashti, Karanja, Arvi, Seloo, Wardha, Deoli, Hingalghat and Samudrapur. The district receives 1062.8 mm annual rainfall of which 85% is contributed by south–west monsoon but its distribution is erratic. Review of agro-ecological of the rain but its erratic distribution. Further, the extent of soil loss in the district due to erosion is estimated to be of the order of 19.6 lakh tonnes per annum (Rukmani and Manjula, 2009)

*Corresponding Author (Email: aliza@mssrf.res.in)

which is well above the maximum permissible limit of 10 tonnes per hectare per annum. The district is dominated by black soils, classified into Kanhar (Heavy soils), Madhyam (Medium soils) and Bardi (Light soils) covering 35.4, 43.0 and 20.6%, respectively.

Sample collection and analysis

A total of 55 surface soil samples (0-15cm) were collected from five villages of Wardha district *viz.*, Saheli and Bitpur (Arvi block), Borgaon/Gondi, Susund, and Heti (Karanja block) during 2014-15. Collected soil samples were air dried and processed for laboratory analysis. The sand, silt, clay in soil were analyzed by bouyoucos hydrometer method. Soil pH, EC, organic carbon (OC), available nitrogen, phosphorus and potassium were estimated by the standard procedures as described by Jackson (1973). The

available micronutrients *i.e.* zinc, iron, copper and manganese in these soil samples were extracted with DTPA solution (Lindsey and Norvell, 1978) and the concentration of nutrients was determined on Atomic Absorption Spectrophotometer. The soil nutrient index was calculated according to the procedure suggested by Ramamoorthy and Bajaj (1969).

Results and Discussion

The texture of the soil varied in different villages (Table 1). The pH of the soils ranged from 6.4 to 8.7 and EC from 0.12 to 0.46 dS m⁻¹ (Table 1). The organic carbon content varied from 0.52 to 2.24 percent (Table 1). This medium to high content of organic carbon might be due to addition of organic matter mainly through crop residue, farm yard manure *etc.*

Table 1. Physico-chemical parameters of soils of Wardha district

Name of Tahsil	Name of village	Soil texture*	pH (1:2.5)		EC (dS m ⁻¹)		Organic carbon (g kg ⁻¹)	
			Range	Mean ± SD	Range	Mean ± SD	Range	Mean ± SD
Arvi	Saheli	l	6.90-8.70	7.31 ± 0.38	0.12-0.26	0.20 ± 0.04	0.83-1.7	1.13 ± 0.25
	Vitpur	c	6.82-8.14	7.41 ± 0.41	0.17-0.34	0.22 ± 0.06	0.95-1.84	1.32 ± 0.32
Karanja	Susund	cl, scl	7.29-7.96	7.58 ± 0.21	0.20-0.46	0.32 ± 0.09	0.64-2.24	1.24 ± 0.44
	Heti	scl, l	6.40-7.84	7.34 ± 0.44	0.12-0.43	0.26 ± 0.12	0.52-1.73	1.11 ± 0.42
	Borgaon	l, sl	6.87-7.88	7.54 ± 0.31	0.18-0.33	0.25 ± 0.05	0.76-1.78	1.29 ± 0.33

* l, loam; c, clay; cl, clay loam; scl, silty clay loam; sl, silt loam

The available nitrogen content in soils of Wardha ranged from 70.4 to 153.5 kg ha⁻¹ indicating nitrogen deficiency in the area. The available P content of soils ranged from 1.4 to 31.6 ppm and 83.6 percent of soil samples were found to be

deficient in phosphorus (Table 2). The available K content of soils ranged from 56.7 to 669.6 kg ha⁻¹ and 71 percent of the soils showed sufficiency in K content (Table 2).

Table 2. Status of major nutrients in soils of Wardha district

Name of Blocks	Name of village	Available N (kg ha ⁻¹)		Available P (kg ha ⁻¹)		Available K (kg ha ⁻¹)	
		Range	Mean ± SD	Range	Mean ± SD	Range	Mean ± SD
Arvi	Saheli	70.37-102.36	93.35 ± 9.47	1.75-4.25	2.77 ± 0.65	210.00-448.30	340.32 ± 66.23
	Vitpur	70.37-95.96	84.00 ± 10.17	1.37-7.31	3.38 ± 2.03	178.00-437.40	320.55 ± 68.47
Karanja	Susund	60.78-153.54	113.88 ± 24.04	3.87-26.87	10.13 ± 7.85	98.20-589.30	335.70 ± 133.99
	Heti	89.56-137.54	109.63 ± 13.80	1.94-31.62	14.73 ± 9.62	56.67-669.60	332.31 ± 225.65
	Borgaon	83.17-118.35	102.36 ± 10.51	4.56-17.31	9.74 ± 5.79	156.00-442.10	300.77 ± 97.40

The DTPA-Zn in soils ranged from 0.20 to 2.16 mg kg⁻¹ (Table 3). About 50.9 percent of samples were deficient while 41.8 percent samples were in medium category indicating widespread deficiency of zinc in the area. The deficiency of zinc was observed in Bitpur and Saheli followed by Susund, Borgaon/Gondi, and Heti. The low availability of zinc in these soils might be due to alkaline soil reaction as zinc cations are changed largely to their oxides or hydroxides under alkaline conditions and thereby lowering the availability (Meena *et al.* 2006). The widespread deficiency of zinc in intensively cultivated districts of Maharashtra having alkaline, calcareous, black clay soils

have also been reported (Patil and Kharche, 2006; Katkar *et al.*, 2013; Mandavgade *et al.*, 2015).

The DTPA-Fe content showed a wide range of variation (5.68 to 44.1 mg kg⁻¹) in the soils of different villages (Table 3). Majority of soil samples were moderately high to high (72.8%) whereas 21.8 percent were found to be very high in Fe content. The high Fe content in soil might be due to presence of minerals like feldspar, magnetite, haematite, and limonite which constitute bulk of trap rock in these soils (Vijaya Kumar *et al.*, 2013). Few soil samples collected from Saheli and Borgaon/Gondi were found to be low in iron status (7%).

Table 3. Status of DTPA-extractable micronutrients in soils of Wardha district

Name of tehsil	village	Zn (mg kg ⁻¹)		Fe (mg kg ⁻¹)		Mn (mg kg ⁻¹)		Cu (mg kg ⁻¹)	
		Range	Mean±SD	Range	Mean ± SD	Range	Mean ± SD	Range	Mean±SD
Arvi	Saheli	0.30-	0.48±0.13	5.68-	16.89± 7.88	13.60-	34.71±16.43	2.20-	3.48±0.89
		0.72		29.90		60.36		4.96	
	Vitpur	0.26-	0.45±0.14	9.08-	19.36± 8.83	15.10-	43.55± 0.66	3.04-	4.18±0.86
		0.72		32.50		73.78		5.80	
Karanja	Susund	0.38-	0.80±0.32	10.08-	18.35±6.93	21.94-	41.97±20.36	3.22-	5.83±2.11
		1.48		27.82		90.56		8.86	
	Heti	0.36-	0.96±0.56	11.80-	23.49±10.56	20.34-	54.1 ± 28.03	3.74-	6.41±1.95
		2.16		44.10		109.14		9.58	
	Borgaon	0.20-	0.84±0.77	7.70-	18.06 ± 9.42	16.62-	39.92±22.60	2.54-	5.19±1.54
		3.02		34.40		102.16		6.44	

The DTPA-Cu content ranged from 2.2 to 9.58 mg kg⁻¹ indicating its sufficiency in the soils, which might be due to higher biological activities in these soils and chelating effect (Jibhakate *et al.*, 2009). DTPA-Mn ranged from 13.6-109.14 mg kg⁻¹ suggesting its status as very high (Table 3). The relative high content of Mn in these soils could be due to

the soils derived from basaltic parent material which contains higher ferromagnesian minerals (Mandavgade *et al.*, 2015).

The nutrient indices (Table 4) indicate low for nitrogen (1.00), phosphorus (1.16), zinc (1.56), medium for iron (1.71) and high for potassium (2.67), copper (3.00) and manganese (3.00).

Table 4. Status of nutrient and nutrient indices in soils of Wardha district

Nutrients	Percent samples			Nutrient index value (NIV)	Rating*
	Low	Medium	High		
N	100	-	-	1.00	Low
P	83.6	16.4	-	1.16	Low
K	3.6	25.4	71.0	2.67	High
Zn	50.9	41.8	7.3	1.56	Low
Fe	36.4	56.4	7.2	1.71	Medium
Cu	-	-	100	3.00	High
Mn	-	-	100	3.00	High

*NIV: <1.66 (Low); 1.66-2.33 (Medium); >2.33 (High).

Conclusion

The soils of Arvi and Karanja blocks of Wardha district are slightly acidic to alkaline in soil reaction, non-saline, medium to high in organic carbon. These soils are deficient in nitrogen, phosphorus and zinc while medium in iron content and sufficient in potassium, copper and manganese. The assessment of nutrient is being used for suggesting improved package and practices of crop production through integrated nutrient management under the FSN study, to promote better soil health and crop productivity.

References

- Jackson M.L. (1973). Soil Chemical analysis, Prentice Hall of India Private Ltd. New Delhi.
- Jibhakate S.B., Raut M.M., Bhende S.N. and Kharche V.K. (2009). Micronutrient status of soils of Katol tahasil in Nagpur district and their relationship with some soil properties. *Journal of Soils and Crops* **19**, 143-146.
- Katkar R.N., Lakhe S.R., Kharche V.K., Laharia G.S., Sadavarte S.G., *et al.* (2013). Micronutrient mapping in soils of Wardha district, Maharashtra. *Agropedology* **23**(2), 113-117.
- Lindsay W.L. and Norvell W.A. (1978). Development of DTPA soil test for Zn, Fe, Mn and Cu. *Soil Science Society of America Journal* **42**, 421-428.
- Mandavgade R.R., Waikar S.L., Dhamak A.L. and Patil V.D. (2015). Evaluation of micronutrient status of soils and their relation with some chemical properties of soils of northern Tahsils (Jintur, Selu and Pathri) of Parbhani district. *Journal of Agriculture and Veterinary science* **8**(2), 38-41.
- Meena H.B., Sharma R.P. and Rawat U.S. (2006). Status of macro and micronutrients in some soils of Tonk district of Rajasthan. *Journal of the Indian Society of Soil Science* **54**, 508-512.
- Patil J.D. and Kharche V.K. (2006). Micronutrients deficiency in soils of Western Maharashtra. *Indian Journal of Fertilisers* **2**, 55-58.
- Nagarajan S., Bhavani R.V. and Swaminathan M.S. (2014). Operationalizing the concept of farming system for nutrition through the promotion of nutrition-sensitive agriculture. *Current Science* **107** (6), 959-964.
- Ramamoorthy B. and Bajaj J.C. (1969). Available N, P and K status of Indian soils. *Fertilizer News* **14**, 24-26.
- Rukmani R. and Manjula M. (2009). *Designing rural technology delivery systems for mitigating agricultural distress: A study of Wardha district*. MS Swaminathan Research Foundation, Chennai and Office of the Principal Scientific Adviser to the Government of India, New Delhi.
- Shen J., Yuan L., Zhang J., Li, H., Bai Z., *et al.* (2011). Phosphorus dynamics: From soils to plant. *Plant physiology* **156**, 997-1005.
- Vijaya kumar M., Lakshmi G.V. and Madhuvani P. (2013). Appraisal of soil fertility status in salt affected soils of ongole division, Prakasam district of Andhra Pradesh. *Journal of the Indian Society of Soil Science* **61**, 333-340.
- Yadav R.L., and Meena M.C. (2009). Available micronutrient status and their relationship with soil properties of Degana soil series of Rajasthan. *Journal of the Indian Society of Soil Science* **57**, 90-92.

Received: July 2016

Accepted: December 2016

Research Articles

- Delineation of Land Management Units in Tropical South Deccan Plateau of India** 105-116
V. Ramamurthy, K.M. Nair, S.C. Ramesh Kumar, S. Srinivas, L.G.K. Naidu, K. Sujatha, Dipak Sarkar and S.K. Singh
- Soil Site Suitability Evaluation of Major Crops for Sustainable Land Use Planning in Kupti Watershed, Yavatmal District, Maharashtra** 117-131
A.J. Patangray, N.G. Patil, S.K. Singh, P. Tiwari, V.N. Mishra, A.R. Pagdhune and B.A. Patil
- Effect of Phosphorous Application on Uptake, Yield and Fertilizer Use Efficiency under Rice-Rice and Rice-Sunflower Systems in High P Soils** 132-148
A. Srinivas, P. Surendra Babu, A. Madhavi, G.E.C.H. Vidyasagar and G. R. Maruthi Sankar
- Soil Mapping at Village level in a Part of Amethi District, U. P., Using IRS LISS-IV and Cartosat-1 Merged Data for Sustainable land and Crop Management** 149-163
PPS Yadav, G. Rajput, Arjun Singh and K. Singh
- Effects of Salinity on Germination Behaviour of Two Paddy Land Races Grown in Chakrata (Dehradun), Uttarakhand, India** 164-171
Ranbeer Singh Chauhan, J.S. Chauhan, A.S. Rawat and Dinesh Singh Rawat
- Pre Harvest Losses as Perceived by the Wheat Growers in Madhya Pradesh—An Economic Analysis** 172-177
S.C. Meena, Deepak Rathi and Hari Om Sharma
- Characterization, Classification and Evaluation of Cashew Growing Soils in Coastal Odisha for Sustainable Production** 178-188
R. Srinivasan, S.K. Singh, D.C. Nayak and L.G.K. Naidu
- The Major Biophysical Indicators of Desertification in Arid and Semi arid regions of India** 189-197
S. Dharumarajan, M. Lalitha, R. Vasundhara and Rajendra Hegde
- Characterization and Classification of Different Rice Growing Soils with Special Emphasis on Soil Organic Carbon Stock in Rajnagar Block of Birbhum District, West Bengal** 198-207
Shreyasi Gupta Choudhury, Tapati Banerjee, Krishnendu Das, A.K. Sahoo, D.C. Nayak and S.K. Singh
- Assessment of Soil Degradation and Large Scale Soil Mapping Using GIS: A Case Study of Village Ramagarh from Purna Valley, Maharashtra** 208-221
R.K. Naitam, V.K. Kharche, V.V. Gabhane, T. Bhattacharyya, S.M. Taley, I.K. Ramteke, Preeti Deshmukh and N.M. Konde
- Climatic Suitability Assessment for Groundnut (*Arachis hypogaea*) in Alfisols of Karnataka - a Regression Approach** 222-229
H.S. Shivaramu, P. Vijaya Kumar, M.B. Rajegowda, V.U.M. Rao, N. A. Janardhana Gowda and D.V. Soumya
- Characterization and Formation of Salt affected Soils in Eastern Rajasthan Upland** 230-236
S.S. Sharma, R.P. Sharma, R.S. Singh and S.K. Singh
- Short Communication**
- Assessment of Physico-Chemical Parameters and Nutrient Availability in Soils of Arvi and Karanja Blocks of Wardha district, Maharashtra** 237-240
Aliza Pradhan, Mahesh Maske, Manoj Sayre and Mahesh Sadatpure

INDIAN SOCIETY OF SOIL SURVEY AND LAND USE PLANNING

(Registered under Act XXI of 1860)

Registration No. Maharashtra, 301/87, Nagpur

FOUNDED - 1986

EXECUTIVE COUNCIL FOR 2014-2016

President	:	Dr. Arun Chaturvedi
Vice Presidents	:	Dr. T. N. Hajare Dr. G. Ravindra Chary
Honorary Secretary	:	Dr. G.P. Obi Reddy
Joint Secretaries	:	Dr. K. Karthikeyan Dr. V. V. Gabhane
Treasurer	:	Shri. S.S. Gaikwad
Councillors	:	Dr. Ashok Kumar Singh, Dr. Subhash Chand (Northern Zone) Dr. Guru Prasad Gupta, Dr. Pravin H. Vaidya (Central Zone) Dr. S. Thayalan, Dr. M.V.S. Naidu (Southern Zone) Dr. Samiron Dutta, Dr. Krishendu Das (Eastern Zone) Dr. P. Raja, Dr. R.P. Sharma (Western Zone)
Members (Past Presidents Ex-Officio)	:	Dr. A.R. Kalbande, Dr. M. Velayutham, Dr. K.S. Gajbhiye, Dr. R.K. Saxena, Dr. S.B. Deshpande, Dr. A.K. Maji, Dr. Dipak Sarkar
Editorial Board		
Chief Editor	:	Dr. N.G. Patil
Members	:	Dr. S. Vadivelu Dr. G.S. Sidhu Dr. A.K. Srivastava Dr. H.S. Shivaramu Dr. Vilas Kharche Dr. P. Chandran Dr. M.S.S. Nagaraju
International Consulting Editors	:	Dr. A.R. Marmut (Canada), Dr. P.K. Patra (Japan), Dr. Lallan Singh (Nigeria)

JOURNAL OF

THE INDIAN SOCIETY OF SOIL SURVEY AND LAND USE PLANNING

Date of first publication	:	1991
Frequency of publication	:	Twice in a year (June and December)
Correspondence	:	Honorary Secretary Indian Society of Soil Survey and Land Use Planning NBSS&LUP, Amravati Road, Nagpur-440 033 (India).
Phone	:	(0712) 6459496, 2500664, 2500545, 2500386
Telefax	:	(91) 0712-2500534
Website	:	www.isslup.org
E-mail	:	secretary@isslup.org

Published by the Honorary Secretary, Indian Society of Soil Survey and Land Use Planning, NBSS&LUP, Nagpur-440 033.

ACKNOWLEDGEMENT

Sincere thanks are placed on record to the **Indian Council of Agricultural Research, New Delhi** for the grant of financial support for the publication of 'Agropedology'.

Instructions for the Preparation of Manuscript for Agropedology

Prospective authors(s) is/are advised to consult the latest issue of the Journal to get acquainted with details of its format and style.

General

Papers, communicated by the members of the society, will be considered for publication if they make an original contribution to the knowledge in any branch of soil science, notably soil genesis, soil morphology and classification; soil physics and hydrology; soil chemistry and mineralogy; soil and water management and conservation. The journal particularly welcomes papers that promote understanding of soil in the Indian sub-continent.

Full-length articles, short communications and invited review articles that indicate fruitful areas of further research and innovative are published in the Journal. Reviews may be restricted to 25 printed pages in length (50 pages A4 double-spaced type).

All papers are reviewed. No free prints are provided; pdf of papers will be supplied on request.

At the initial stage, the manuscripts may be submitted in hard copy format. When the manuscript is returned to the authors with the referee's reports for revision, the editor will make notes on presentation, layout and general matters concerning style, and these should be incorporated into the revised paper. A disc will be requested once the paper is accepted in principle. The version on the disk should be identical to the one in the hard copy. Please give the name of the file and the word-processing package used. While returning the revised manuscript, a DISCUSSION SHEET quoting each question raised by the Reviewers followed by the answers may be provided. Authors may also indicate where (page Nos. in the revised manuscript) and how the revision has been done. Authors may also indicate the reasons, if they do not agree to the reviewer's comments.

Original illustrations will be returned after publication if a request to this effect is made at the time of submission.

Submission of a paper means that the results reported by the author in that paper have not been published and are not being considered for publication elsewhere.

The Journal assumes that all authors of a multi-authored paper agree to its submission. It takes no responsibility for fraud or inaccuracy on the part of the contributors.

Manuscript

The work should be presented in concise and clear English. Generally, the length of a Full-length article should not exceed 3000 words and that of Short communication should be within 750 words.

Organisation of the Manuscript

A full length article comprises the following sections.

- a) Short title b) Title
- c) Author (s)
- d) Institution and address with PIN code
- e) Abstract (along with keywords)
- f) Introduction
- g) Materials and Methods h) Results and Discussion i) Conclusion
- j) Acknowledgements (if any)
- k) References
- l) Table and figures (if any)

Guidelines for each section are as follows:

All the aforementioned headings should start from left hand side of the margin, without any indent.

Short Title : A shortened title (approximately of 50 characters) set in capital letters should convey the main theme of the paper.

Title : This should be concise and appropriately informative and should contain all keywords necessary to facilitate retrieval by searching techniques.

Author/Authors : The name(s) of author(s) should be typed in capital letters a little below the title starting from the left margin.

Institutional address : The matter will come below the name (s) of the author(s). Complete postal address with PIN code should be furnished. In case, any author has left the above address, this could be indicated as a footnote.

Abstract : The abstract (preferably less than 200 words) should not just recapitulate the results but should state concisely the scope of the work and give the principal findings. It should be complete enough for direct use by abstracting services. Acronyms and references should be avoided.

Additional keywords : Up to six keywords not contained in the title may be listed beneath the abstract to assist searching techniques.

Introduction : This section is meant to introduce the subject of the paper. The introduction should be short and concise and should not exceed what is necessary to indicate the reasons for the work and its essential background.

Materials and Methods : Geographical position of soil-site or soil used in the experiment or site of field-trial should be mentioned with the help of coordinates (latitude and longitude).

Sufficient experimental details, such as, the materials used in the investigation, methods of experiment and analysis adopted should be given to enable repetition of the work. Proper classification of soils must invariably be indicated at the level of Order/ Suborder/ Greatgroup/ Subgroup as per Soil Taxonomy (USDA).

Results and Discussion : The Results should be reported in the form of salient points of observation and critical interpretation thereof whereas the Discussion should explain the significance of the results rather than recapitulate them.

Conclusion : This is an extremely important section which the author(s) should articulate in the form of a clearly crystallized summary of the results obtained alongwith their implications in solution of the practical problems or contributions to the advancement of the scientific knowledge.

References should be cited chronologically in the text. All references in the text must be listed at the end of the paper, with the names of authors arranged alphabetically; all entries in this list must correspond to references in the text. In the text, the names of two co-authors are linked by 'and'; for three or more, the first author's name is followed by 'et al'. No editorial responsibility can be taken for the accuracy of the references; authors are requested to check these with special care. Titles must be included for all the references. Papers that have not been accepted for publication may not be included in the list of references and must be cited as 'unpublished data' or as 'personal communication'; the use of such citations are discouraged.

Provide titles of books and journals in full. The journal title should be in the italics.

Examples :

Journal article

Buyanovsky, G.A., Aslam, M., and Wagner, G.H. (1994). Carbon turnover in soil physical fractions. Soil Science Society of America Journal 58, 1167-1173.

Chapter in book

Oades, J.M. (1998). An introduction to organic matter in mineral soils. In 'Minerals in Soil Environments'. (Eds. J.B. Dixon and S.B. Weed) pp.92-159. (Soil Science Society of America: Wisconsin).

Book

Soil Survey Staff (2010). 'Keys to Soil Taxonomy', Eleventh Edition. (U.S.D.A.: Washington, D.C.).

Report/Bulletin

Sehgal, J., Mandal, D.K., Mandal, C., and Vadivelu, S. (1990). Agro-ecological regions of India. National Bureau of Soil Survey and Land Use Planning, Technical Publication No. 24, Nagpur.

Units : Authors are requested to follow the International System of Units for exact measurements of physical quantities. For complex groupings of units the form such as kg ha⁻¹ year⁻¹ may be used.

For exchangeable ions and ion exchange capacity, the recommended unit is cmol(+) or (-)kg⁻¹, where (+) or (-) refers to unit charge. In tables where reference is being made to both positive and negative charge e.g. cation and anion exchange capacity, the heading cmol(+)kg⁻¹ can be used with sign made evident by the context. This recommended unit has the advantage of being numerically equivalent to the non-SI but still widely used milliequivalents per 100g.

For electrical conductivity, the recommended unit is dSm⁻¹.

Soil classification nomenclature: Owing to the international scope of the journal, as well as the most appropriate local classification and soil description methodology, authors should also use internationally recognised soil classification nomenclature such as U.S. Soil Taxonomy or FAO UNESCO.

Statistical evaluation of results: The design and conduct of experiments must be sufficiently explained so that readers

can judge for themselves the validity of the results. Authors should describe how measurements were made and indicate how treatments were assigned to units or blocks, and the number of replicates.

The experimental design dictates the proper method of statistical analysis and the basis of assessing the precision of treatment means. The precision achieved should be reported by a standard error of the treatment mean or a coefficient of variation. Treatment comparisons such as the least significant difference (LSD) may be made when the variance ratio (F value) is significant. Brief analysis of variance (ANOVA) tables with mean squares and degrees of freedom may be published.

Tables must be numbered with arabic numerals and each must be accompanied by a title. Tables should be arranged with regard to the dimensions of the printed page (12.5 by 20 cm) and the number of columns kept to a minimum. Excessive sub-division of column headings is undesirable and long headings should be avoided. The first letter only of headings to rows and vertical columns should be capitalised. The symbol for the unit of measurement should be placed in parentheses beneath the column heading. Footnotes should be reserved for specific items in columns. Horizontal rules should be inserted only above and below column headings and at the foot of the table. Vertical rules must not be used. Each table must be referred in the text. Short tables may be incorporated into the text as a sentence or as a brief untitled tabulation.

Illustrations

Authors should submit lettered line drawings and lettered and mounted photographs which comply with the instructions below. Unsatisfactory figures will be returned for correction.

Line drawings : Original line drawings may be produced using computer graphics with laser printing, or drawn with black ink on white board or on drawing or tracing paper, and with regard to the size of the printed page (12.5 by 20 cm). Explanations of symbols used should be given in the caption to the figure. Lettering of the graphs should be kept to a minimum. Grid marks should point inwards; legends to axes should state the quantity being measured and be followed by the appropriate SI units in parentheses.

Photographs : Photographs must be of the highest quality with a full range of tones and of good contrast. Lettering should be in contrast with its background. The size should be such that the final height after reduction is 1.5 – 2 mm. A scale bar must be inserted on each photomicrograph and electron micrograph. Important features to which attention has been drawn in the text should be indicated. Colour photographs will be accepted if they are essential but the cost of production must be borne by the authors.

Short Communication

The style of presenting a Short communication is less formal as compared with the 'full-length article'. The sections on Abstract, Materials and Methods, Results and Discussion and Conclusion are omitted but the material is put concisely in the same sequence but without formal sections.

Checklist for preparation of manuscripts

1. Type of manuscript double - spaced throughout, including references, figure captions and tables.
2. Type the title and all headings aligned left, with only the first letter of the first word and of any proper name capitalised.
3. Main headings (Introduction, Materials and methods, Results and discussion, Acknowledgements, References) are set in bold roman (not italic) type. Minor headings are set in the light italic type.
4. Use the conventions 'from ... to', 'between and', 'range x-y'.
5. Check that all references mentioned in the text are in the References, and vice-versa.
6. List references in the text in chronological order, separated by semi-colons. Do not use a comma between the author's name and the date. List references in the References in alphabetical order.
7. Give full journal and book titles in the References. The journal names should be in italics.
8. Use Arabic numerals in the text but in headings spell out numbers less than 10. Type a space between a numeral and its unit (e.g. 3 mm).
9. Check that the stippling and/or symbols are legible at the size likely to be used in the published article.
10. Type tables with the title as a separate paragraph.
11. Indicate approximate positions of figures and tables on the manuscript.
12. Check that figures are numbered in the order in which they are discussed in the text.

13. Suggest a 'short title' for the paper of not more than 50 characters (including spaces).
14. Return the requested number of revised manuscripts; also, return the original manuscript annotated by the editor.
15. Provide email and postal address for the corresponding author.

Correspondence :

When you submit a manuscript, please provide us with your telephone number, email address as well as your postal address; we may need to contact you urgently.

Address for submissions:

The Honorary Secretary,
Indian Society of Soil Survey and Land Use
Planning,
NBSS&LUP, Amravati Road,
Nagpur-440 033, INDIA

List of Referees – 2016

The Editorial Board of the Indian Society of Soil Survey and Land Use Planning, places on record its grateful thanks to the following persons for reviewing the manuscripts during 2016 . Without their help and cooperation it would not have been possible to process the manuscripts received for publication in the journal 'Agropedology'.

AHMED, NAYAN, New Delhi
BHAKARE, B.D., Rahuri
BRAHMANAND, P.S., Bhubaneswar
CHARY, G.R., Hyderabad
CHINCHMALATPURE, ANIL, Bharuch
GHOSH, AMLAN, Varanasi
ISMAIL, SAYYED, Parbhani
JEGADEESWARI, D., Coimbatore
JENA, S.K., Bhubaneswar
KALEDHONKAR, M.J., Karnal
KATKAR, R.N., Akola
KATPATAL, Y.B., Nagpur
MANDAL, A.K., Karnal
MURTHY, I.Y.L.N., Hyderabad
NAGARAJU, M.S.S., Nagpur
NAIDU, M.V.S., Tirupati
NARALA, ANURADHA, Nagpur
PATGIRI, D.K., Guwahati
PATIL, MUKUND, Hyderabad
RAINA, S.K., Srinagar,
SANDAL, S.K., Himachal Pradesh
SANTRA, PRIYABRATA, Rajasthan
SELVI, D., Coimbatore
SINGH, KANIKA, Sydney
SRIVASTAVA, P.C., Pantnagar
VIJAYAKUMAR, P., Hyderabad